SHOWLAMB

Show Lamb

Textured

Formulated for sheep.

MEDICATED

For the prevention of coccidiosis caused by Eimeria ovina, Eimeria crandalis, Eimeria ovinoidalis (Eimeria ninakohlyakimovae), Eimeria parva and Eimeria intricata in sheep maintained in confinement.

ACTIVE DRUG INGREDIENT

Lasalocid 30 g/ton

Guaranteed Analysis

Crude Protein			(Min)	18.0 %
Crude Fat			(Min)	3.5 %
Crude Fiber			(Max)	12.0 %
Calcium	(Min)	0.9	(Max)	1.6 %
Phosphorus			(Min)	0.3 %
Salt	(Min)	0.3	(Max)	1.0 %
Copper	(Min)	9	(Max)	10 ppm
Selenium			(Min)	0.3 ppm
Vitamin A			(Min)	8.5 KIU/lb

^{*} Contains not more than 1.0% protein from non-protein nitrogen.

List of Ingredients

Grain Products, Plant Protein Products, Roughage Products, Processed Grain By-Products, Forage Products, Calcium Carbonate, Vegetable Oil, Ammonium Chloride, Banana Flavor, Brewer's Dried Yeast and Dried Saccharomyces Cerevisiae Fermentation Solubles, Magnesium Potassium Sulfate, Vitamin A Supplement, Vitamin D3 supplement, Sodium Selenite, Salt, Zinc Oxide, Cane Molasses, Manganous Oxide, Ferrous Carbonate, Mineral Oil, Iron Oxide, Copper Oxide, Calcium Periodate (Pentacalcium Orthoperiodate), Cobalt Carbonate, Natural and Artificial Flavors, Monocalcium Phosphate, Dicalcium Phosphate, Proprionic Acid, Amorphous Silicon Dioxide, Verxite, Hydrated Sodium Calcium Aluminosilicate, Water, Ammonium Hydroxide, Aspergillus oryzae Fermentation Extract, Aspergillus niger Fermentation Extract, Dextrose, Lactose, Natural Flavor, Chromium Propionate, Propionic Acid, Propylene Glycol, Dried Condensed Corn Fermentation Solubles, Glutamic Acid, Ground Limestone, Potassium Sulfate, Magnesium Sulfate, Zinc Proteinate, Manganese Proteinate, Magnesium Oxide, Potassium Chloride, Manganese Sulfate, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate (Source of Vitamin E), Selenium Yeast, Sodium Molybdate, Vitamin A Acetate, Cholecalciferol (Source of Vitamin D3), Calcium Iodate and Cobalt Carbonate., Vegetable Fat Product (Feed Grade), Lecithin, Phosphoric Acid, Sulfuric Acid, Caramel Flavoring, Acetic Acid, and Benzoic Acid (as Preservatives).

Feeding Directions

Feed continuously at a rate of 1 to 4.66 pounds/head/day to provide not less than 15 mg nor more than 70 mg of Lasalocid per day.

Feed with good quality forage and fresh, clean water.

LIMITATIONS: In Type C feeds; for sheep maintained in confinement WARNING: A withdrawal period has not been established for this product in preruminating cattle. Do not use in calves to be processed for veal.

CAUTION: Do not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal. The safety of Lasalocid for use in unapproved species has not been established.

Follow label directions.
Use as directed.

MEDICATED

Manufactured By:

Augusta Cooperative Farm Bureau, Inc.
Staunton, Virginia 24401
NET WEIGHT 50 LBS. (22.68 kg)