

# TOMATO & VEGETABLE READY TO USE

CONTROLS INSECTS, DISEASES AND MITES, INCLUDING  
SPIDER MITES

**KILLS:** APHIDS, MITES, SPIDER MITES, LEAFHOPPERS,  
CATERPILLARS, ROSE SLUGS, WHITEFLIES, SPITTLEBUGS,  
MEALYBUGS, SCALE, THRIPS, PSYLLIDS, PLANT BUGS,  
LACEBUGS, FRUIT FLIES, CHIGGERS AND EARWIGS.

**FUNGAL DISEASES CONTROLLED:** BLACKSPOT,  
POWDERY MILDEW, RUST, SCAB, BLIGHT, BROWN ROT AND  
LEAF SPOT

Manufactured under a license of W. Neudorff  
GmbH KG, Germany.



EPA Est. No. 4-NY-1

EPA Reg. No. 67702-15-4

©Bonide Products, Inc. All Rights Reserved

Distributed by  
Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

## DIRECTIONS FOR USE

*It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.*

## BEFORE YOU USE

### Use Precautions:

- Do not use if temperatures are expected to be over 90°F.
- Do not spray plants with this product within 21 days of an oil spray.
- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.
- Do not apply to strawberry fruit that will be used for canning.
- Shake well before using
- Do not dilute

## HOW TO USE

### FOR CONTROL OF FUNGAL DISEASES:

Controls a wide range of fungal diseases including: blackspot, powdery mildew, rust, scab, blight, brown rot and leaf spot. Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

### FOR CONTROL OF INSECTS/MITES:

Controls a wide range of pests including: aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, fruit flies, chiggers and earwigs. Thoroughly spray all areas of the plant, especially new shots and underside of leaves. Pests need to be contacted by the spray to be controlled.

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

| USE SITE - INDOOR, OUTDOOR AND GREENHOUSE                                                                                                                                                                                                                                                                          | PEST                                                                                                                                                          | DISEASE                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>VEGETABLE AND VINE PLANTS</b><br>such as: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, cucurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes | aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs         | powdery mildew, rust, blight, leaf spots            |
| <b>ORNAMENTALS</b> such as: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants                                                                                                                                                                                                           | aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs | powdery mildew, rust, blight, blackspot, leaf spots |
| <b>FRUIT AND NUT TREES</b> such as: almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut                                                                                                                                                                                            | aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs         | scab, powdery mildew, rust, blight, brown rot       |
| <b>LAWNS</b>                                                                                                                                                                                                                                                                                                       | aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs                                                                | rust, leaf spot, blight, powdery mildew             |

### STORAGE AND DISPOSAL

Store at room temperature and protect from freezing.

**CONTAINER DISPOSAL:** If **empty**: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. If **partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **FIRST AID**

|                               |                                                                                                                                                                                                                                                                                                     |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>IF IN EYES</b>             | <ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul> |
| <b>IF ON SKIN OR CLOTHING</b> | <ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>                                                                   |

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, you may call the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

### **PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

#### **ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

#### **PHYSICAL OR CHEMICAL HAZARDS**

Combustible. Do not use or store near heat or open flame.

Buyer assumes all responsibility for safety and use not in accordance with directions.