



EQUI-SPOT[®]

Spot-On Fly Control For Horses



3
Applications



EQUI-SPOT[®]

Spot-On Fly Control For Horses

Protects Horses from
Flies, Gnats, Mosquitoes and **TICKS**



- Kills & repels house flies, stable flies, face flies, horn flies, eye gnats, and ticks on horses
- Aids in the control of horse flies, deer flies, mosquitoes and black flies on horses
- Sweat-resistant



ACTIVE INGREDIENTS:
Permethrin* (CAS #52645-53-1)..... 45.0%
OTHER INGREDIENTS:..... 55.0%
TOTAL..... 100.0%
* cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

Net Contents:
3 Applications 0.34 fl. oz. (10.0 ml)



EQUI-SPOT[®]

Spot-On Fly Control For Horses

PS



Equi-Spot[®] Spot-On Fly Control

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON HORSES OVER 12 WEEKS OF AGE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Hazards to Domestic Animals: FOR EXTERNAL USE ON HORSES ONLY. Do not use on foals under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing horses. Consult a veterinarian before using on horses with known organ dysfunction. **DO NOT USE ON ANIMALS OTHER THAN HORSES.** Certain medications can interact with pesticides. It is advisable to consult a veterinarian before using this product with any other pesticide or drug.

FIRST AID

If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged container or for product use information, call toll free: **800-234-2269**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Adverse Reactions: Some animals may be sensitive to ingredients in this product. Reactions in horses may include skin sensitivity. Horses may show lethargy, increased pruritus (itchiness), erythema (redness), rash and hair discoloration or hair loss at the application site. Observe the horse following treatment. Sensitivity may occur after using ANY pesticide product on animals. If signs of sensitivity occur bathe your horse with a mild, non-insecticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMES

ENVIRONMENTAL HAZARDS
This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HORSES
DO NOT USE ON HORSES INTENDED FOR FOOD USE
DO NOT USE ON FOALS UNDER 12 WEEKS OF AGE

Remove product tubes from package. Fold along perforation between tubes and tear off one tube. Return unused tubes to package. Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches. Apply one tube (10.0 ml) of product solution as follows:

- 5 ml along the back line starting at the poll (top of head behind the ears), along the base of the mane, down the dorsal midline to the dock (base of the tail)
- 1 ml to the top of the forehead under the forelock
- 1 ml, as a stripe, to the back of each foreleg, from the ankle up to the knee (2 ml total)
- 1 ml, as a stripe, to the back of each hindleg, from the ankle up to the hock (2 ml total)
- Do not allow the product to contact horse's eyes or mucous membranes
- Wrap tube and put in trash
- Do not reapply for 14 days (2 weeks)



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool, dry place. Protect from freezing.

Disposal: If empty: Do not reuse container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Farnam[™] Your Partner in Horse Care[™]

Manufactured for: **FARNAM COMPANIES, INC.**
Horse Products Division
P.O. Box 34820 • Phoenix, AZ 85067-4820
farnamhorse.com

EPA Reg. No.: 270-279 • EPA Est. No.: 2724-TX-1
Product Code: 100502597 • RM#: 300503727

©2009 Farnam Companies, Inc. • Mfg. & Printed in U.S.A. • 09-1003

Farnam, the Farnam logo, Equi-Spot and Your Partner in Horse Care are trademarks of Farnam Companies, Inc. Central Garden & Pet and its logo are trademarks of Central Garden & Pet Company.



0 86621 02597 4